

L Number	Hits	Search Text	DB	Time stamp
3	2	("6134231").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 14:17
4	9	((((370/346) or (370/449) or (370/348) or (370/445) or (370/461) or (370/462) or (370/347) or (370/345) or (370/458) or (379/92.01) or (379/92.02) or (340/3.51) or (340/825.08) or (340/825.07) or (340/10.1-10.6) or (714/708) or (455/455) or (455/62) or (455/434)).CCLS.) and "polling" and "uplink channel" and "interference" and @ad<20010319	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 14:18
-	1	"polling" and ("signal to noise ratio" or "S/N") and (BER or "bit error rate") and (RAN or "radio access network") and (FER or "frame error rate") and ("RLC-AM" or "radio link control acknowledgment mode")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 14:59
-	0	"polling" and ("signal to noise ratio" or "S/N") and (BER or "bit error rate") and (RAN or "radio access network") and (FER or "frame error rate") and ("RLC-AM" or "radio link control acknowledgment mode") and @ad<20010319	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 15:00
-	0	"polling" and "remote unit" and "metric" and "uplink channel" and "interference" and "first rate" and "second rate" and @ad<20010319	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 15:02
-	0	"polling" and "remote unit" and "metric" and "uplink channel" and "interference" and @ad<20010319	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 15:02
-	0	"polling" and "remote unit" and "uplink channel" and "interference" and @ad<20010319	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 15:02
-	0	("polling" or "poling") and "remote unit" and "uplink channel" and "interference" and @ad<20010319	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 15:03
-	1	("polling" or "poling") and "uplink channel" and "reducing interference" and @ad<20010319	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 15:03

-	1	("polling" or "poling") and "uplink channel" and "reducing interference" and @ad<20010319	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 15:03
-	8401	((370/346) or (370/449) or (370/348) or (370/445) or (370/461) or (370/462) or (370/347) or (370/345) or (370/458) or (379/92.01) or (379/92.02) or (340/3.51) or (340/825.08) or (340/825.07) or (340/10.1-10.6) or (714/708) or (455/455) or (455/62) or (455/434)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 14:57
-	1	((370/346) or (370/449) or (370/348) or (370/445) or (370/461) or (370/462) or (370/347) or (370/345) or (370/458) or (379/92.01) or (379/92.02) or (340/3.51) or (340/825.08) or (340/825.07) or (340/10.1-10.6) or (714/708) or (455/455) or (455/62) or (455/434)).CCLS.) and "polling" and ("signal to noise ratio" or "S/N") and (BER or "bit error rate") and (RAN or "radio access network") and (FER or "frame error rate") and ("RLC-AM" or "radio link control acknowledgment mode")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 14:59
-	0	((370/346) or (370/449) or (370/348) or (370/445) or (370/461) or (370/462) or (370/347) or (370/345) or (370/458) or (379/92.01) or (379/92.02) or (340/3.51) or (340/825.08) or (340/825.07) or (340/10.1-10.6) or (714/708) or (455/455) or (455/62) or (455/434)).CCLS.) and "polling" and ("signal to noise ratio" or "S/N") and (BER or "bit error rate") and (RAN or "radio access network") and (FER or "frame error rate") and ("RLC-AM" or "radio link control acknowledgment mode") and @ad<20010319	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 15:00
-	0	((370/346) or (370/449) or (370/348) or (370/445) or (370/461) or (370/462) or (370/347) or (370/345) or (370/458) or (379/92.01) or (379/92.02) or (340/3.51) or (340/825.08) or (340/825.07) or (340/10.1-10.6) or (714/708) or (455/455) or (455/62) or (455/434)).CCLS.) and "polling" and "remote unit" and "metric" and "uplink channel" and "interference" and "first rate" and "second rate" and @ad<20010319	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 15:02

-	0	(((370/346) or (370/449) or (370/348) or (370/445) or (370/461) or (370/462) or (370/347) or (370/345) or (370/458) or (379/92.01) or (379/92.02) or (340/3.51) or (340/825.08) or (340/825.07) or (340/10.1-10.6) or (714/708) or (455/455) or (455/62) or (455/434)).CCLS.) and "polling" and "remote unit" and "metric" and "uplink channel" and "interference" and @ad<20010319	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 15:02
-	0	(((370/346) or (370/449) or (370/348) or (370/445) or (370/461) or (370/462) or (370/347) or (370/345) or (370/458) or (379/92.01) or (379/92.02) or (340/3.51) or (340/825.08) or (340/825.07) or (340/10.1-10.6) or (714/708) or (455/455) or (455/62) or (455/434)).CCLS.) and "polling" and "remote unit" and "uplink channel" and "interference" and @ad<20010319	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 15:03
-	0	(((370/346) or (370/449) or (370/348) or (370/445) or (370/461) or (370/462) or (370/347) or (370/345) or (370/458) or (379/92.01) or (379/92.02) or (340/3.51) or (340/825.08) or (340/825.07) or (340/10.1-10.6) or (714/708) or (455/455) or (455/62) or (455/434)).CCLS.) and ("polling" or "poling") and "remote unit" and "uplink channel" and "interference" and @ad<20010319	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 15:03
-	1	(((370/346) or (370/449) or (370/348) or (370/445) or (370/461) or (370/462) or (370/347) or (370/345) or (370/458) or (379/92.01) or (379/92.02) or (340/3.51) or (340/825.08) or (340/825.07) or (340/10.1-10.6) or (714/708) or (455/455) or (455/62) or (455/434)).CCLS.) and ("polling" or "poling") and "uplink channel" and "reducing interference" and @ad<20010319	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/11 15:03
-	1	(((370/346) or (370/449) or (370/348) or (370/445) or (370/461) or (370/462) or (370/347) or (370/345) or (370/458) or (379/92.01) or (379/92.02) or (340/3.51) or (340/825.08) or (340/825.07) or (340/10.1-10.6) or (714/708) or (455/455) or (455/62) or (455/434)).CCLS.) and ("polling" or "poling") and "uplink channel" and "reducing interference" and @ad<20010319	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/12 14:17